


## SALES & SERVICE NETWORK



\*Map shown here is only for illustrative purpose & not for official use.

Service • Support • Spares  
+91 - 78787 40000

### Branch Offices

- Ahmedabad
- Bengaluru
- Ghaziabad
- Hyderabad
- Indore
- Kolkata
- Mumbai

### International Dealer Network

- Nepal
- Bhutan
- Bangladesh
- Africa
- Middle East
- Australia
- South East Asia
- Jaipur
- New Delhi
- Nagpur
- Pune
- Coimbatore
- Hyderabad
- Patna
- Durgapur
- Bhubaneshwar
- J&K
- Raipur
- Guwahati
- Bengaluru
- Vadodara
- Rajkot
- Chandigarh



Works : Vadodara - Gujarat

MR/PC/6/0/05/RP Nov/25



CONMAT HEAVY INDUSTRIES PVT. LTD.  
Formerly Known as KYB Conmat Pvt. Ltd.

702-703, N.H. No. 8, Por,  
Dist - Vadodara - 391243, Gujarat, INDIA  
Ph.: +91-265 - 6132900, 3000300  
Email:sales@conmatindia.com  
www.conmatindia.com  
ISO Certified :- 9001:2015, 27001:2022 & 45001:2018  
CIN: U29248GJ2007PTC052387



Follow us on :

Note: The technical specifications of the product may vary depending on the model and are subject to change without prior notice.



Proudly Indigenous



# MR Series Concrete Mixer






Conmat Concrete Mixer are designed, developed in Japan & modified to suit Indian conditions.

MR Series concrete mixer has been developed and tested by simulating toughest Indian working conditions and has gone through rigorous field trials in tandem using state-of-the-art sensing and monitoring devices. These proven MR Series Concrete Mixer are working across various construction sites in India for the past 2 decades.

MR Series has very high speed concrete charge and discharge, Robust chassis for long-term reliability, and a hydraulic drive system for smooth & consistent operation. Hence it can be used in variety of construction jobs conventionally not suitable for TM application.

Conmat products are delivered to Customers around the world with high quality and safety.

- MR Series's unique blade design reduces material segregation during transport, optimize on-site convenience and productivity making it ideal for urban and remote construction projects.
- High precision 'C' Shaped spirals are formed by accurate forming dies, maintaining uniform & low resistance flow resulting in low power consumption.
- 'C' shaped spirals enhance agitating performance, so concrete could be worked with even during delays.
- Low filling level due to high geometric and water line volume- improves mixing performance.




- Due to its unique blade design, spiral has wider flute and thus has bigger charge/discharge volume per revolution of the drum.
- Contact area between blades and concrete/unit volume is lower hence low adhesion of concrete on the spiral resulting in low friction and low power consumption.

Sr.No.	Description	MR 60C	MR 70C	MR 70XL	MR 80	MR 90	MR 100	MR 120
1	Nominal Volume (m <sup>3</sup> )	6	7	7+	8	9	10	12
2	Filling Height (mm)	2630	2630	2630	2660	2674	2687	2688
3	Mixer Width (mm)	2350	2350	2350	2350	2350	2350	2350
4	Drum Dia (mm)	2267	2267	2267	2267	2267	2267	2267
5	Drum Speed (RPM)	0-14	0-14	0-14	0-14	0-14	0-12	0-12
6	Water Tank Capacity (Ltr.)	450	450	450	600	600	600	600
7	Driven By							
8	Drive-P.T.O.□/Slave Engine○	□○	□○	□○	□○	□○	□○	□○
9	Slave Engine Power (kw)	52	52	52	79	79	79	79

- Due to extra low slump and high discharge performance, Conmat Transit Mixer can suitably be used for slip form concrete paving.
- Detachable Charge Hopper and Split Flow guide facilitate maintenance.
- Drum, Spiral, Hopper, Flow guide, Discharge Chute are made of wear / corrosion resistant material.
- Superior rear design eases cleaning and use of cleaning equipment.




P.T.O. Driven



Higher safety during transit due to anti-clockwise Drum rotation for left side travel in India. Low center of gravity for better stability on rough roads



Quality Inspection like an automobile



A wear-proof round bar protects Drum Spiral without concrete accumulation



Chute is locked by a simple operation for enhanced safety during concrete pour



Staircase to inspection platform is designed for operator comfort without compromising safety